

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

eccentering formation borehole effects

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 617 for **eccentering formation borehole effects**. (0.40 seconds)**Scholarly articles for eccentering formation borehole effects****Effects of formation anisotropy on resistivity-logging ...** - Moran - Cited by 26**Use of raw amplitude and phase in propagation ...** - Meyer Jr - Cited by 17**Multi-coil electromagnetic focusing methods and ...** - Omeragic - Cited by 3**[METHOD OF CORRECTING TRIAXIAL INDUCTION ARRAYS FOR BOREHOLE ...**[0043] Each or some of these couplings may include **borehole/eccentering effects**, which would need to be removed before deriving **formation** resistivity from ...[www.freepatentsonline.com/20050256642.html](http://www.freepatentsonline.com/20050256642.html) - 52k - [Cached](#) - [Similar pages](#)**Insulated sleeve with conductive electrodes to reduce borehole ...**More particularly, the invention concerns devices for reducing and/or correcting for the **effects** of the **borehole** on an overall subsurface **formation** ...[www.freepatentsonline.com/7193420.html](http://www.freepatentsonline.com/7193420.html) - 67k - [Cached](#) - [Similar pages](#)[ [More results from www.freepatentsonline.com](#) ]**IODP-USIO: Downhole Logging Tools**The **Formation MicroScanner (FMS)** maps the conductivity of the **borehole** wall with a ...To correct for the **effects of eccentering**, low order angular harmonic ...[iodp.ideo.columbia.edu/TOOLS\\_LABS/processing.html](http://iodp.ideo.columbia.edu/TOOLS_LABS/processing.html) - 60k - [Cached](#) - [Similar pages](#)**Effects of formation anisotropy on resistivity-logging ...**The **effect** on the responses of a normal device of introducing a **borehole** ... The added**effect of eccentering** has been studied following the methods of ...[link.aip.org/link/?GPYSA7/44/1266/1](http://link.aip.org/link/?GPYSA7/44/1266/1) - [Similar pages](#)**[PDF] Final Report Imaging Tools for Electrical Resistivity in ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**borehole** axis, conductive boreholes and their irregularities do mask the **effects** of.conductive features at depth. **Eccentering** is also troublesome in this ...[www.osti.gov/bridge/servlets/purl/805792-oWivwy/webviewable/805792.pdf](http://www.osti.gov/bridge/servlets/purl/805792-oWivwy/webviewable/805792.pdf) - [Similar pages](#)**[method of correcting triaxial induction arrays for borehole ...**A method for modeling **borehole effects** of a transverse array induction tool includesselecting a **formation-borehole** model having a set of parameters, ...[www.freshpatents.com/-method-of-correcting-triaxial-induction-arrays-for-borehole-effect--](http://www.freshpatents.com/-method-of-correcting-triaxial-induction-arrays-for-borehole-effect--dt20051117ptan2...)[dt20051117ptan2...](#) - 29k - [Cached](#) - [Similar pages](#)**1990 Annual Symposium Paper F**This **effect** produces a markedly different neutron distribution than that of a ... due tooffsetting **effects** of gamma radiation from the **formation, borehole**, ...[www.spwla.org/library\\_info/abstract/sympo/1990/1990PaperF.html](http://www.spwla.org/library_info/abstract/sympo/1990/1990PaperF.html) - 6k -[Cached](#) - [Similar pages](#)**Detection of borehole currents due to a decentered transverse ...**Method and apparatus for cancellation of **borehole effects** due to a tilted or transverse ...**borehole** size, **eccentering**, and mud and **formation** conductivity. ...[www.patentstorm.us/patents/6927578-description.html](http://www.patentstorm.us/patents/6927578-description.html) - 46k - [Cached](#) - [Similar pages](#)

Method and apparatus for cancellation of borehole effects due to a ...

Parallel **eccentering** forces currents symmetrically up and down the **borehole** and therefore no net current is generated. This **borehole effect** is no worse than ...  
www.patentstorm.us/patents/6680613-description.html - 54k - [Cached](#) - [Similar pages](#)

Schlumberger, CDN

Determine **formation** porosity and lithology; Reduce standoff and **borehole effects** on density logs; Reduce environmental concerns; Receive data downhole ...  
www.slb.com/content/services/drilling/imaging/cdn.asp - 41k - [Cached](#) - [Similar pages](#)

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

eccentering

Search

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 1,200 for **eccentering**. (0.34 seconds)**IODP-USIO: Downhole Logging Tools**

Amplitude **eccentering** correction. When the tool is eccentered in a circular ... To correct for the effects of **eccentering**, low order angular harmonic ...

[iodp.ideo.columbia.edu/TOOLS\\_LABS/processing.html](http://iodp.ideo.columbia.edu/TOOLS_LABS/processing.html) - 60k - [Cached](#) - [Similar pages](#)

**IODP-USIO: Downhole Logging Tools**

Depth of Investigation/**Eccentering** Effects ... Large **eccentering**, on the order of 2 to 4 in (5-10 cm) in a 12-in (31 cm) borehole, increases the flexural ...

[iodp.ideo.columbia.edu/TOOLS\\_LABS/FMS/dsi.html](http://iodp.ideo.columbia.edu/TOOLS_LABS/FMS/dsi.html) - 47k - [Cached](#) - [Similar pages](#)

**Schlumberger, Mnemonics, Properties, Eccentering**

Name, **Eccentering**. Parents, Property > Length. Description, A measure of the amount by which an object is off-center with respect to another; ...

[www.slb.com/modules/mnemonics/PropertyItem.aspx?code=Eccentering](http://www.slb.com/modules/mnemonics/PropertyItem.aspx?code=Eccentering) - 44k -

[Cached](#) - [Similar pages](#)

**Schlumberger, Mnemonics, Data channel, ECCE**

Description, Amplitude of **Eccentering**. Unit quantity, CylinderDiameter ... Tool, Description. CET, Amplitude of **Eccentering**. CETB, Amplitude of **Eccentering** ...

[www.slb.com/modules/mnemonics/ChannelItem.aspx?code=ECCE](http://www.slb.com/modules/mnemonics/ChannelItem.aspx?code=ECCE) - 50k -

[Cached](#) - [Similar pages](#)

[ [More results from www.slb.com](#) ]

**British Library Direct: Optimization Design for VSP Jogging Tool ...**

Optimization Design for VSP Jogging Tool of **Eccentering** Machinery Based on ADAMS.

Author. Zhao, B. Wang, M.-t. Feng, Y.-r. Journal title ...

[direct.bl.uk/research/61/62/RN187707308.html](http://direct.bl.uk/research/61/62/RN187707308.html) - Supplemental Result - [Similar pages](#)

**Energy Citations Database (ECD) - Energy and Energy-Related ...**

As will be shown, **eccentering** has a comparatively small effect on the responses of a normal device. ^On the other hand, certain types of focused-log devices, ...

[www.osti.gov/energycitations/product.biblio.jsp?osti\\_id=6590096](http://www.osti.gov/energycitations/product.biblio.jsp?osti_id=6590096) - 13k -

[Cached](#) - [Similar pages](#)

**[PDF] Forward modeling for ultrasonic leaky lamb-wave based imaging ...**

File Format: PDF/Adobe Acrobat

satility to account for **eccentering** of the cylindrical struc- ture housing the transducers. ...

ceiving transducer apertures (and hence for **eccentering** of ...

[ieeexplore.ieee.org/iel5/9696/30603/01417812.pdf](http://ieeexplore.ieee.org/iel5/9696/30603/01417812.pdf) - [Similar pages](#)

**[PDF] Quantitative Corrosion Evaluation in Wells Usine A Multi-Function ...**

File Format: PDF/Adobe Acrobat

reduces **eccentering** effects, and reduces the sensitivity. to. rugosity compared to a flat ...

Main echo amplitude image, corrected for **eccentering**. ...

[ieeexplore.ieee.org/iel2/3521/10601/00495756.pdf?arnumber=495756](http://ieeexplore.ieee.org/iel2/3521/10601/00495756.pdf?arnumber=495756) - [Similar pages](#)

**1985 Annual Symposium Paper GG**

A complete mathematical analysis is developed to account for the **eccentering** effects of any resistivity tool. The treatment is exact in that it includes ...

[www.spwla.org/library\\_info/abstract/sympo/1980/1985PaperGG.html](http://www.spwla.org/library_info/abstract/sympo/1980/1985PaperGG.html) - 6k -

[Cached](#) - [Similar pages](#)

### Glossary - E

**eccentering** arm, Eccentralizer. decentralizer. A protrusible arm (sometimes a bow spring) which presses the sonde body against the borehole wall. ...

[www.spwla.org/library\\_info/glossary/reference/glosse/glosse.htm](http://www.spwla.org/library_info/glossary/reference/glosse/glosse.htm) - 44k -

[Cached](#) - [Similar pages](#)

[ [More results from www.spwla.org](#) ]

Result Page:    1 2 3 4 5 6 7 8 9 10    **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	119	( "6351127" or "6297639" or "6380744" or "6541979" or "6556015" or "6573222" or "6566881" or "6557794" or "6304086" or "6624634" or "6584408" or "6667620" or "6594584" or "6630830" or "20030085707" or "20020057210" or "20030184304" or "20030184488" or "20030200029" or "20020079899" or "20030229450" )".pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 13:39
L2	99	( "6351127" or "6297639" or "6380744" or "6541979" or "6556015" or "6573222" or "6566881" or "6557794" or "6304086" or "6624634" or "6584408" or "6667620" or "6594584" or "6630830" or "20030085707" or "20020057210" or "20030184304" or "20030184488" or "20030200029" or "20020079899" or "20030229450" )".pn"	US-PGPUB; USPAT	OR	ON	2007/04/16 13:40
L3	14	( "6351127" or "6297639" or "6380744" or "6541979" or "6556015" or "6573222" or "6566881" or "6557794" or "6304086" or "6624634" or "6584408" or "6667620" or "6594584" or "6630830").pn.	US-PGPUB; USPAT	OR	ON	2007/04/16 13:55
L4	8	("20030085707" or "20020057210" or "20030184304" or "20030184488" or "20030200029" or "20020079899" or "20030229450" )".pn"	US-PGPUB; USPAT	OR	ON	2007/04/16 13:55
S1	2	"20050256642"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:17
S2	239	eccenter\$5 and (formation with bore\$1hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:18

## EAST Search History

S3	83	S2 and (borehole adj effects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 11:03
S4	44	S3 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:18
S5	8	S3 and (transverse with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 11:03
S7	1	"11/124528"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:22
S8	8	S5 and (@ad<"20050114" or @rlad<"20050114")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 10:56
S9	2	"5663499".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 13:39
S10	0	S9 and eccenter\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 11:03
S11	0	S9 and (transverse with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 11:03
S12	0	S9 and (borehole adj effects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 11:03